

Brighthouse BioBlitz Results

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|-----------------|------------------|-----------------------------------|----------------|-------------------|
| fungus | | | 3 | 3 |
| Species | Honey Fungus | <i>Armillaria mellea</i> | 2 | 2 |
| | Jelly Ear | <i>Auricularia auricula-judae</i> | | |
| Other taxa | fungus | <i>Ramalina</i> | 1 | 1 |
| lichen | | | 11 | 15 |
| Species | lichen | <i>Verrucaria maura</i> | 11 | 15 |
| | lichen | <i>Lecanora chlarotera</i> | | |
| | Oak Moss | <i>Evernia prunastri</i> | | |
| | lichen | <i>Flavoparmelia caperata</i> | | |
| | lichen | <i>Parmelia saxatilis</i> | | |
| | lichen | <i>Ramalina farinacea</i> | | |
| | lichen | <i>Ramalina fastigiata</i> | | |
| | lichen | <i>Xanthoria parietina</i> | | |
| | lichen | <i>Tephromela atra var. atra</i> | | |
| | lichen | <i>Pertusaria pertusa</i> | | |
| | lichen | <i>Lichina pygmaea</i> | | |
| alga | | | 12 | 14 |
| Species | Gut Weed | <i>Enteromorpha intestinalis</i> | 7 | 9 |
| | Pepper Dulse | <i>Osmundea pinnatifida</i> | | |
| | Carrageen | <i>Chondrus crispus</i> | | |
| | False Irish Moss | <i>Mastocarpus stellatus</i> | | |
| | alga | <i>Nemalion helminthoides</i> | | |
| | alga | <i>Palmaria palmata</i> | | |
| | Sea Lettuce | <i>Ulva lactuca</i> | | |
| Other taxa | alga | <i>Porphyra</i> | 5 | 5 |
| | alga | <i>Ceramium</i> | | |
| | alga | <i>Corallina</i> | | |
| | alga | <i>Lithothamnion</i> | | |
| | alga | <i>Plocamium</i> | | |
| chromist | | | 10 | 14 |
| Species | chromist | <i>Laminaria saccharina</i> | 9 | 13 |
| | chromist | <i>Asperococcus fistulosus</i> | | |
| | chromist | <i>Ascophyllum nodosum</i> | | |
| | Horned Wrack | <i>Fucus ceranoides</i> | | |
| | chromist | <i>Fucus serratus</i> | | |
| | chromist | <i>Fucus vesiculosus</i> | | |
| | chromist | <i>Pelvetia canaliculata</i> | | |
| | chromist | <i>Halidrys siliquosa</i> | | |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|------------------|--------------------------------|--------------------------------------|----------------|-------------------|
| | chromist | <i>Laminaria digitata</i> | | |
| Other taxa | | | 1 | 1 |
| | chromist | <i>Leathesia</i> | | |
| liverwort | | | 8 | 12 |
| Species | | | 8 | 12 |
| | Bifid Crestwort | <i>Lophocolea bidentata</i> | | |
| | liverwort | <i>Metzgeria fruticulosa</i> | | |
| | Forked Veilwort | <i>Metzgeria furcata</i> | | |
| | Dilated Scalewort | <i>Frullania dilatata</i> | | |
| | Tamarisk Scalewort | <i>Frullania tamarisci</i> | | |
| | Broad Scalewort | <i>Porella obtusata</i> | | |
| | Even Scalewort | <i>Radula complanata</i> | | |
| | Great Scented Liverwort | <i>Conocephalum conicum</i> | | |
| moss | | | 62 | 90 |
| Species | | | 62 | 90 |
| | Matted Feather-moss | <i>Brachythecium populeum</i> | | |
| | Swartz's Feather-moss | <i>Eurhynchium hians</i> | | |
| | Supine Plait-moss | <i>Hypnum resupinatum</i> | | |
| | Philibert's Tamarisk-moss | <i>Thuidium philibertii</i> | | |
| | Bicoloured Bryum | <i>Bryum bicolor</i> | | |
| | Capillary Thread-moss | <i>Bryum capillare</i> | | |
| | Dotted Thyme-moss | <i>Rhizomnium punctatum</i> | | |
| | Swan's-neck Thyme-moss | <i>Mnium hornum</i> | | |
| | Silky Forklet-moss | <i>Dicranella heteromalla</i> | | |
| | Broom Fork-moss | <i>Dicranum scoparium</i> | | |
| | moss | <i>Ceratodon purpureus</i> | | |
| | Slender Ditrichum | <i>Ditrichum gracile</i> | | |
| | Common Pocket-moss | <i>Fissidens taxifolius</i> | | |
| | Heath Star Moss | <i>Campylopus introflexus</i> | | |
| | Grey-cushioned Grimmia | <i>Grimmia pulvinata</i> | | |
| | Seaside Grimmia | <i>Schistidium maritimum</i> | | |
| | Creeping Feather-moss | <i>Amblystegium serpens</i> | | |
| | Golden Feather-moss | <i>Campyliadelphus chrysophyllus</i> | | |
| | Fern-leaved Hook-moss | <i>Cratoneuron filicinum</i> | | |
| | Kneiff's Hook-moss | <i>Drepanocladus aduncus</i> | | |
| | Fertile Feather-moss | <i>Drepanocladus polygamus</i> | | |
| | Sickle-leaved Hook-moss | <i>Sanionia uncinata</i> | | |
| | Whitish Feather-moss | <i>Brachythecium albicans</i> | | |
| | Rough-stalked Feather-moss | <i>Brachythecium rutabulum</i> | | |
| | Common Feather-moss | <i>Eurhynchium praelongum</i> | | |
| | Common Striated Feather-moss | <i>Eurhynchium striatum</i> | | |
| | Yellow Feather-moss | <i>Homalothecium lutescens</i> | | |
| | Silky Wall Feather-moss | <i>Homalothecium sericeum</i> | | |
| | Long-beaked Water Feather-moss | <i>Rhynchostegium riparioides</i> | | |
| | Neat Feather-moss | <i>Scleropodium purum</i> | | |
| | Lateral Cryphaea | <i>Cryphaea heteromalla</i> | | |
| | Short-beaked Wood-moss | <i>Hylocomium brevirostre</i> | | |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|-----------------|-------------------------------|-------------------------------------------------------|----------------|-------------------|
| | Glittering Wood-moss | <i>Hylocomium splendens</i> | | |
| | Springy Turf-moss | <i>Rhytidiadelphus squarrosus</i> | | |
| | Pointed Spear-moss | <i>Calliergonella cuspidata</i> | | |
| | moss | <i>Hypnum cupressiforme</i> var. <i>cupressiforme</i> | | |
| | Great Plait-moss | <i>Hypnum lacunosum</i> var. <i>lacunosum</i> | | |
| | Larger Mouse-tail Moss | <i>Isoetecium alopecuroides</i> | | |
| | Slender Mouse-tail Moss | <i>Isoetecium myosuroides</i> | | |
| | Common Tamarisk-moss | <i>Thuidium tamariscinum</i> | | |
| | Wood Bristle-moss | <i>Orthotrichum affine</i> | | |
| | Anomalous Bristle-moss | <i>Orthotrichum anomalum</i> | | |
| | White-tipped Bristle-moss | <i>Orthotrichum diaphanum</i> | | |
| | Elegant Bristle-moss | <i>Orthotrichum pulchellum</i> | | |
| | Straw Bristle-moss | <i>Orthotrichum stramineum</i> | | |
| | Bruch's Pincushion | <i>Ulota bruchii</i> | | |
| | Frizzled Pincushion | <i>Ulota phyllantha</i> | | |
| | moss | <i>Zygodon viridissimus</i> var. <i>viridissimus</i> | | |
| | Lesser Bird's-claw Beard-moss | <i>Barbula convoluta</i> | | |
| | Red Beard-moss | <i>Bryoerythrophyllum recurvirostrum</i> | | |
| | Fallacious Beard-moss | <i>Didymodon fallax</i> | | |
| | Cylindric Beard-moss | <i>Didymodon insulanus</i> | | |
| | Rigid Beard-moss | <i>Didymodon rigidulus</i> | | |
| | Heim's Pottia | <i>Hennediella heimii</i> | | |
| | Sand-hill Screw-moss | <i>Syntrichia ruraliformis</i> | | |
| | Yellow Crisp-moss | <i>Tortella flavovirens</i> | | |
| | moss | <i>Tortula muralis</i> var. <i>muralis</i> | | |
| | Variable Crisp-moss | <i>Trichostomum brachydontium</i> | | |
| | Curly Crisp-moss | <i>Trichostomum crispulum</i> | | |
| | Persson's Stubble-moss | <i>Weissia perssonii</i> | | |
| | Common Smoothcap | <i>Atrichum undulatum</i> | | |
| | Bristly Haircap | <i>Polytrichum piliferum</i> | | |
| horsetail | | | 1 | 1 |
| | Species | | 1 | 1 |
| | Field Horsetail | <i>Equisetum arvense</i> | | |
| fern | | | 8 | 15 |
| | Species | | 7 | 14 |
| | Sea Spleenwort | <i>Asplenium marinum</i> | | |
| | Lady-fern | <i>Athyrium filix-femina</i> | | |
| | Bracken | <i>Pteridium aquilinum</i> | | |
| | Scaly Male-fern | <i>Dryopteris affinis</i> | | |
| | Broad Buckler-fern | <i>Dryopteris dilatata</i> | | |
| | Male-fern | <i>Dryopteris filix-mas</i> | | |
| | Polypody | <i>Polypodium vulgare</i> | | |
| | Other taxa | | 1 | 1 |
| | Fern | <i>Filicopsida</i> | | |
| conifer | | | 2 | 2 |
| | Species | | 2 | 2 |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|-----------------|------------------------|-----------------------------------------------------------------|----------------|-------------------|
| | Sitka Spruce | <i>Picea sitchensis</i> | | |
| | Scots Pine | <i>Pinus sylvestris</i> | | |
| flowering plant | Species | | 216 | 587 |
| | Sea Arrowgrass | <i>Triglochin maritimum</i> | 194 | 555 |
| | Marsh Arrowgrass | <i>Triglochin palustre</i> | | |
| | Ground-elder | <i>Aegopodium podagraria</i> | | |
| | Wild Angelica | <i>Angelica sylvestris</i> | | |
| | Cow Parsley | <i>Anthriscus sylvestris</i> | | |
| | Fool's-water-cress | <i>Apium nodiflorum</i> | | |
| | Pignut | <i>Conopodium majus</i> | | |
| | Wild Carrot | <i>Daucus carota subsp. carota</i> | | |
| | Hogweed | <i>Heracleum sphondylium</i> | | |
| | Hemlock Water-dropwort | <i>Oenanthe crocata</i> | | |
| | Ivy | <i>Hedera helix</i> | | |
| | Marsh Pennywort | <i>Hydrocotyle vulgaris</i> | | |
| | Ramsons | <i>Allium ursinum</i> | | |
| | flowering plant | <i>Narcissus agg.</i> | | |
| | Bluebell | <i>Hyacinthoides non-scripta</i> | | |
| | Bluebell | <i>Hyacinthoides non-scripta x hispanica = H. x massartiana</i> | | |
| | Star-of-Bethlehem | <i>Ornithogalum angustifolium</i> | | |
| | Solomon's-s-seal | <i>Polygonatum multiflorum</i> | | |
| | Spring Squill | <i>Scilla verna</i> | | |
| | Montbretia | <i>Crocsmia pottsii x aurea = C. x crocosmiiflora</i> | | |
| | Yellow Iris | <i>Iris pseudacorus</i> | | |
| | Early-purple Orchid | <i>Orchis mascula</i> | | |
| | Yarrow | <i>Achillea millefolium</i> | | |
| | Mountain Everlasting | <i>Antennaria dioica</i> | | |
| | Wood Burdock | <i>Arctium nemorosum</i> | | |
| | Daisy | <i>Bellis perennis</i> | | |
| | Common Knapweed | <i>Centaurea nigra</i> | | |
| | Creeping Thistle | <i>Cirsium arvense</i> | | |
| | Marsh Thistle | <i>Cirsium palustre</i> | | |
| | Spear Thistle | <i>Cirsium vulgare</i> | | |
| | Cat's-ear | <i>Hypochaeris radicata</i> | | |
| | Nipplewort | <i>Lapsana communis</i> | | |
| | Pineappleweed | <i>Matricaria discoidea</i> | | |
| | Fox-and-cubs | <i>Pilosella aurantiaca</i> | | |
| | Mouse-ear-hawkweed | <i>Pilosella officinarum</i> | | |
| | Common Ragwort | <i>Senecio jacobaea</i> | | |
| | Groundsel | <i>Senecio vulgaris</i> | | |
| | Dandelion | <i>Taraxacum officinale agg.</i> | | |
| | Sea Mayweed | <i>Tripleurospermum maritimum</i> | | |
| | Garlic Mustard | <i>Alliaria petiolata</i> | | |
| | Wavy Bitter-cress | <i>Cardamine flexuosa</i> | | |
| | Hairy Bitter-cress | <i>Cardamine hirsuta</i> | | |
| | Cuckooflower | <i>Cardamine pratensis</i> | | |
| | Common Scurvygrass | <i>Cochlearia officinalis</i> | | |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|-----------------|----------------------------|------------------------------------------------------|----------------|-------------------|
| | English Scurvygrass | <i>Cochlearia anglica</i> | | |
| | Sea-kale | <i>Crambe maritima</i> | | |
| | Sea Radish | <i>Raphanus raphanistrum</i> subsp. <i>maritimus</i> | | |
| | Water-cress | <i>Rorippa nasturtium-aquaticum</i> | | |
| | Sea Beet | <i>Beta vulgaris</i> subsp. <i>maritima</i> | | |
| | Sea Mouse-ear | <i>Cerastium diffusum</i> | | |
| | Common Mouse-ear | <i>Cerastium fontanum</i> | | |
| | Sticky Mouse-ear | <i>Cerastium glomeratum</i> | | |
| | Sea Sandwort | <i>Honckenya peploides</i> | | |
| | Procumbent Pearlwort | <i>Sagina procumbens</i> | | |
| | Red Campion | <i>Silene dioica</i> | | |
| | Sea Campion | <i>Silene uniflora</i> | | |
| | Bladder Campion | <i>Silene vulgaris</i> | | |
| | Greater Stitchwort | <i>Stellaria holostea</i> | | |
| | Common Chickweed | <i>Stellaria media</i> | | |
| | Pink Purslane | <i>Claytonia sibirica</i> | | |
| | Sea Pink | <i>Armeria maritima</i> | | |
| | Common Sorrel | <i>Rumex acetosa</i> | | |
| | Sheep's Sorrel | <i>Rumex acetosella</i> | | |
| | Curled Dock | <i>Rumex crispus</i> | | |
| | Broad-leaved Dock | <i>Rumex obtusifolius</i> | | |
| | Wood Dock | <i>Rumex sanguineus</i> | | |
| | Elder | <i>Sambucus nigra</i> | | |
| | Honeysuckle | <i>Lonicera periclymenum</i> | | |
| | Devil's-bit Scabious | <i>Succisa pratensis</i> | | |
| | Heather | <i>Calluna vulgaris</i> | | |
| | Bell Heather | <i>Erica cinerea</i> | | |
| | Cross-leaved Heath | <i>Erica tetralix</i> | | |
| | Rhododendron | <i>Rhododendron ponticum</i> | | |
| | Scarlet Pimpernel | <i>Anagallis arvensis</i> subsp. <i>arvensis</i> | | |
| | Sowbread | <i>Cyclamen hederifolium</i> | | |
| | Sea-milkwort | <i>Lysimachia maritima</i> | | |
| | Yellow Pimpernel | <i>Lysimachia nemorum</i> | | |
| | Primrose | <i>Primula vulgaris</i> | | |
| | Brookweed | <i>Samolus valerandi</i> | | |
| | Kidney Vetch | <i>Anthyllis vulneraria</i> | | |
| | Purple Milk-vetch | <i>Astragalus danicus</i> | | |
| | Broom | <i>Cytisus scoparius</i> | | |
| | Dyer's Greenweed | <i>Genista tinctoria</i> | | |
| | Meadow Vetchling | <i>Lathyrus pratensis</i> | | |
| | Common Bird's-foot-trefoil | <i>Lotus corniculatus</i> | | |
| | Black Medick | <i>Medicago lupulina</i> | | |
| | Common Restharrow | <i>Ononis repens</i> | | |
| | Hop Trefoil | <i>Trifolium campestre</i> | | |
| | Lesser Trefoil | <i>Trifolium dubium</i> | | |
| | Red Clover | <i>Trifolium pratense</i> | | |
| | White Clover | <i>Trifolium repens</i> | | |
| | Gorse | <i>Ulex europaeus</i> | | |
| | Tufted Vetch | <i>Vicia cracca</i> | | |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|-----------------|--------------------------|--------------------------------------|----------------|-------------------|
| | Common Vetch | <i>Vicia sativa subsp. segetalis</i> | | |
| | Heath Milkwort | <i>Polygala serpyllifolia</i> | | |
| | Common Milkwort | <i>Polygala vulgaris</i> | | |
| | Alder | <i>Alnus glutinosa</i> | | |
| | Hazel | <i>Corylus avellana</i> | | |
| | Beech | <i>Fagus sylvatica</i> | | |
| | Sessile Oak | <i>Quercus petraea</i> | | |
| | Greater Periwinkle | <i>Vinca major</i> | | |
| | Cleavers | <i>Galium aparine</i> | | |
| | Heath Bedstraw | <i>Galium saxatile</i> | | |
| | Lady's Bedstraw | <i>Galium verum</i> | | |
| | Dove's-foot Crane's-bill | <i>Geranium molle</i> | | |
| | Herb-Robert | <i>Geranium robertianum</i> | | |
| | Bugle | <i>Ajuga reptans</i> | | |
| | Bifid Hemp-nettle | <i>Galeopsis bifida</i> | | |
| | Water Mint | <i>Mentha aquatica</i> | | |
| | Hedge Woundwort | <i>Stachys sylvatica</i> | | |
| | flowering plant | <i>Thymus polytrichus</i> | | |
| | Ash | <i>Fraxinus excelsior</i> | | |
| | Foxglove | <i>Digitalis purpurea</i> | | |
| | Buck's-horn Plantain | <i>Plantago coronopus</i> | | |
| | Ribwort Plantain | <i>Plantago lanceolata</i> | | |
| | Greater Plantain | <i>Plantago major</i> | | |
| | Sea Plantain | <i>Plantago maritima</i> | | |
| | Wall Speedwell | <i>Veronica arvensis</i> | | |
| | Brooklime | <i>Veronica beccabunga</i> | | |
| | Germander Speedwell | <i>Veronica chamaedrys</i> | | |
| | Ivy-leaved Speedwell | <i>Veronica hederifolia</i> | | |
| | Wood Speedwell | <i>Veronica montana</i> | | |
| | Heath Speedwell | <i>Veronica officinalis</i> | | |
| | Thyme-leaved Speedwell | <i>Veronica serpyllifolia</i> | | |
| | Fairy Flax | <i>Linum catharticum</i> | | |
| | Perennial Flax | <i>Linum perenne</i> | | |
| | Goat Willow | <i>Salix caprea</i> | | |
| | Marsh Violet | <i>Viola palustris</i> | | |
| | Common Dog-violet | <i>Viola riviniana</i> | | |
| | Common Rock-rose | <i>Helianthemum nummularium</i> | | |
| | Rosebay Willowherb | <i>Chamerion angustifolium</i> | | |
| | Enchanter's-nightshade | <i>Circaea lutetiana</i> | | |
| | Great Willowherb | <i>Epilobium hirsutum</i> | | |
| | Broad-leaved Willowherb | <i>Epilobium montanum</i> | | |
| | Spring-sedge | <i>Carex caryophylla</i> | | |
| | Distant Sedge | <i>Carex distans</i> | | |
| | Long-bracted Sedge | <i>Carex extensa</i> | | |
| | Glaucous Sedge | <i>Carex flacca</i> | | |
| | Common Sedge | <i>Carex nigra</i> | | |
| | False Fox-sedge | <i>Carex otrubae</i> | | |
| | Carnation Sedge | <i>Carex panicea</i> | | |
| | Remote Sedge | <i>Carex remota</i> | | |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|-----------------|---------------------|---------------------------------|----------------|-------------------|
| | Common Cottongrass | <i>Eriophorum angustifolium</i> | | |
| | Black Bog-rush | <i>Schoenus nigricans</i> | | |
| | Compact Rush | <i>Juncus conglomeratus</i> | | |
| | Soft-rush | <i>Juncus effusus</i> | | |
| | Field Wood-rush | <i>Luzula campestris</i> | | |
| | Early Hair-grass | <i>Aira praecox</i> | | |
| | Meadow Foxtail | <i>Alopecurus pratensis</i> | | |
| | Sweet Vernal-grass | <i>Anthoxanthum odoratum</i> | | |
| | False Oat-grass | <i>Arrhenatherum elatius</i> | | |
| | Quaking-grass | <i>Briza media</i> | | |
| | Hairy-brome | <i>Bromopsis ramosa</i> | | |
| | Lesser Soft-Brome | <i>Bromus hordeaceus</i> | | |
| | Crested Dog's-tail | <i>Cynosurus cristatus</i> | | |
| | Cock's-foot | <i>Dactylis glomerata</i> | | |
| | Heath-grass | <i>Danthonia decumbens</i> | | |
| | Tufted Hair-Grass | <i>Deschampsia cespitosa</i> | | |
| | Sheep's Fescue agg. | <i>Festuca ovina agg.</i> | | |
| | Sheep's-fescue | <i>Festuca ovina</i> | | |
| | Small Sweet-grass | <i>Glyceria declinata</i> | | |
| | Yorkshire-fog | <i>Holcus lanatus</i> | | |
| | Creeping Soft-grass | <i>Holcus mollis</i> | | |
| | Crested Hair-grass | <i>Koeleria macrantha</i> | | |
| | Perennial Rye-grass | <i>Lolium perenne</i> | | |
| | Reed Canary-grass | <i>Phalaris arundinacea</i> | | |
| | Timothy | <i>Phleum pratense</i> | | |
| | Common Reed | <i>Phragmites australis</i> | | |
| | Annual Meadow-grass | <i>Poa annua</i> | | |
| | Rough Meadow-grass | <i>Poa trivialis</i> | | |
| | Yellow Oat-grass | <i>Trisetum flavescens</i> | | |
| | Marsh-marigold | <i>Caltha palustris</i> | | |
| | Meadow Buttercup | <i>Ranunculus acris</i> | | |
| | Bulbous Buttercup | <i>Ranunculus bulbosus</i> | | |
| | Lesser Celandine | <i>Ranunculus ficaria</i> | | |
| | Creeping Buttercup | <i>Ranunculus repens</i> | | |
| | Lesser Meadow-rue | <i>Thalictrum minus</i> | | |
| | Hawthorn | <i>Crataegus monogyna</i> | | |
| | Meadowsweet | <i>Filipendula ulmaria</i> | | |
| | Wild Strawberry | <i>Fragaria vesca</i> | | |
| | Wood Avens | <i>Geum urbanum</i> | | |
| | Silverweed | <i>Potentilla anserina</i> | | |
| | Tormentil | <i>Potentilla erecta</i> | | |
| | Barren Strawberry | <i>Potentilla sterilis</i> | | |
| | Blackthorn | <i>Prunus spinosa</i> | | |
| | Burnet Rose | <i>Rosa spinosissima</i> | | |
| | Bramble | <i>Rubus fruticosus agg.</i> | | |
| | Wych Elm | <i>Ulmus glabra</i> | | |
| | Common Nettle | <i>Urtica dioica</i> | | |
| | Sycamore | <i>Acer pseudoplatanus</i> | | |
| | Biting Stonecrop | <i>Sedum acre</i> | | |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|---------------------------|----------------------------------|--------------------------------------|----------------|-------------------|
| Other taxa | English Stonecrop | <i>Sedum anglicum</i> | 22 | 32 |
| | Opposite-leaved Golden-saxifrage | <i>Chrysosplenium oppositifolium</i> | | |
| | Red Fescue | <i>Festuca rubra</i> agg. | | |
| | Pondweed | <i>Potamogeton</i> | | |
| | Orchid | <i>Orchidaceae</i> | | |
| | Composite | <i>Asteraceae</i> | | |
| | Hawkweed | <i>Hieracium</i> | | |
| | Sow-Thistle | <i>Sonchus</i> | | |
| | Cabbage | <i>Brassica</i> | | |
| | Scurveygrass | <i>Cochlearia</i> | | |
| | Dock | <i>Rumex</i> | | |
| | Primrose | <i>Primula</i> | | |
| | Clover | <i>Trifolium</i> | | |
| | Gorse | <i>Ulex</i> | | |
| | Oak | <i>Quercus</i> | | |
| | Eyebright | <i>Euphrasia</i> | | |
| | Speedwell | <i>Veronica</i> | | |
| | Violet | <i>Viola</i> | | |
| | Willowherb | <i>Epilobium</i> | | |
| | flowering plant | <i>Nymphaeaceae</i> | | |
| Water Crowfoot | <i>Ranunculus</i> | | | |
| Cinquefoil | <i>Potentilla</i> | | | |
| flowering plant | <i>Myriophyllum</i> | | | |
| Forget-Me-Not | <i>Myosotis</i> | | | |
| Unidentified hawkbit | <i>Leontodon</i> | | | |
| sponge (Porifera) | | | 1 | 1 |
| Species | | | 1 | 1 |
| | sponge (Porifera) | <i>Halichondria panicea</i> | | |
| coelenterate (=cnidarian) | | | 3 | 3 |
| Species | | | 3 | 3 |
| | Beadlet anemone | <i>Actinia equina</i> | | |
| | Dahlia anemone | <i>Urticina felina</i> | | |
| | Moon jellyfish | <i>Aurelia aurita</i> | | |
| flatworm (Turbellaria) | | | 1 | 1 |
| Species | | | 1 | 1 |
| | flatworm (Turbellaria) | <i>Dugesia lugubris</i> | | |
| mollusc | | | 29 | 51 |
| Species | | | 26 | 48 |
| | Sand Gaper | <i>Mya arenaria</i> | | |
| | Common mussel | <i>Mytilus edulis</i> | | |
| | mollusc | <i>Anomia ephippium</i> | | |
| | Flat Oyster | <i>Ostrea edulis</i> | | |
| | mollusc | <i>Chlamys varia</i> | | |
| | Cockle | <i>Cerastoderma edule</i> | | |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|------------------|----------------------|-------------------------------|----------------|-------------------|
| | Thin Tellin | <i>Angulus tenuis</i> | | |
| | mollusc | <i>Macoma balthica</i> | | |
| | Striped Venus Clam | <i>Chamelea gallina</i> | | |
| | Pullet Carpet Shell | <i>Venerupis senegalensis</i> | | |
| | Grey Top Shell | <i>Gibbula cineraria</i> | | |
| | mollusc | <i>Gibbula umbilicalis</i> | | |
| | mollusc | <i>Aporrhais pespelecani</i> | | |
| | Common whelk | <i>Buccinum undatum</i> | | |
| | Dog Whelk | <i>Nucella lapillus</i> | | |
| | mollusc | <i>Ocenebra erinacea</i> | | |
| | mollusc | <i>Hinia incrassata</i> | | |
| | Edible Periwinkle | <i>Littorina littorea</i> | | |
| | mollusc | <i>Littorina obtusata</i> | | |
| | mollusc | <i>Littorina saxatilis</i> | | |
| | Tower Shell | <i>Turritella communis</i> | | |
| | Blue rayed limpet | <i>Helcion pellucidum</i> | | |
| | Common Limpet | <i>Patella vulgata</i> | | |
| | mollusc | <i>Arion ater</i> agg. | | |
| | Brown Lipped Snail | <i>Cepaea nemoralis</i> | | |
| | Common Garden Snail | <i>Cornu aspersum</i> | | |
| Other taxa | | | 3 | 3 |
| | mollusc | <i>Teuthida</i> | | |
| | mollusc | <i>Littorina</i> | | |
| | mollusc | <i>Pulmonata</i> | | |
| annelid | | | 5 | 5 |
| Species | | | 3 | 3 |
| | annelid | <i>Helobdella stagnalis</i> | | |
| | annelid | <i>Sabellaria alveolata</i> | | |
| | annelid | <i>Spirorbis spirorbis</i> | | |
| Other taxa | | | 2 | 2 |
| | Leech | <i>Hirudinea</i> | | |
| | annelid | <i>Spirorbis</i> | | |
| acarine (Acari) | | | 1 | 2 |
| Other taxa | | | 1 | 2 |
| | acarine (Acari) | <i>Hydracarina</i> | | |
| spider (Araneae) | | | 1 | 1 |
| Other taxa | | | 1 | 1 |
| | money spiders | <i>Linyphiidae</i> | | |
| crustacean | | | 14 | 19 |
| Species | | | 8 | 13 |
| | crustacean | <i>Talitrus saltator</i> | | |
| | Edible crab | <i>Cancer pagurus</i> | | |
| | Masked crab | <i>Corystes cassivelaunus</i> | | |
| | Lobster | <i>Homarus gammarus</i> | | |
| | Velvet swimming crab | <i>Necora puber</i> | | |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|-----------------------------------|-----------------------------------------|----------------------------------|----------------|-------------------|
| Other taxa | Porcelain crab | <i>Porcellana platycheles</i> | 6 | 6 |
| | Shore crab | <i>Carcinus maenas</i> | | |
| | Poli's Stellate Barnacle | <i>Chthamalus stellatus</i> | | |
| | crustacean | <i>Daphnia</i> | | |
| | Shrimp | <i>Caridea</i> | | |
| | crustacean | <i>Paguroidea</i> | | |
| | Indet. Waterlouse | <i>Asellus</i> | | |
| crustacean | <i>Cyclops</i> | | | |
| Barnacle | <i>Cirripectida</i> | | | |
| insect - mayfly (Ephemeroptera) | | | 1 | 1 |
| Other taxa | Mayflies (Olives etc) | <i>Ephemeroptera</i> | 1 | 1 |
| insect - dragonfly (Odonata) | | | 4 | 15 |
| Species | Common Blue Damselfly | <i>Enallagma cyathigerum</i> | 3 | 14 |
| | Blue-tailed Damselfly | <i>Ischnura elegans</i> | | |
| | Large Red Damselfly | <i>Pyrrosoma nymphula</i> | | |
| Other taxa | damselflies | <i>Zygoptera</i> | 1 | 1 |
| insect - orthopteran | | | 2 | 3 |
| Species | Common Green Grasshopper | <i>Omocestus viridulus</i> | 1 | 2 |
| Other taxa | Invertebrates (Crickets & Grasshoppers) | <i>Orthoptera</i> | 1 | 1 |
| insect - true bug (Hemiptera) | | | 4 | 5 |
| Species | Lesser water-boatmen | <i>Sigara scotti</i> | 1 | 1 |
| Other taxa | insect - true bug (Hemiptera) | <i>Auchenorrhyncha</i> | 3 | 4 |
| | insect - true bug (Hemiptera) | <i>Reduviidae</i> | | |
| | Water crickets | <i>Veliidae</i> | | |
| insect - beetle (Coleoptera) | | | 3 | 9 |
| Species | 7-spot Ladybird | <i>Coccinella septempunctata</i> | 2 | 8 |
| | Common Cockchafer | <i>Melolontha melolontha</i> | | |
| Other taxa | Leaf beetle | <i>Cryptocephalus</i> | 1 | 1 |
| insect - scorpion fly (Mecoptera) | | | 1 | 5 |
| Other taxa | insect - scorpion fly (Mecoptera) | <i>Panorpa</i> | 1 | 5 |
| insect - caddis fly (Trichoptera) | | | 2 | 2 |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|--------------------|-----------------------------------|-------------------------------|----------------|-------------------|
| | Species | | 1 | 1 |
| | insect - caddis fly (Trichoptera) | <i>Lasiocephala basalis</i> | | |
| | Other taxa | | 1 | 1 |
| | Caddisfly | <i>Trichoptera</i> | | |
| insect - butterfly | | | 11 | 42 |
| | Species | | 10 | 41 |
| | Northern Brown Argus | <i>Aricia artaxerxes</i> | | |
| | Small Copper | <i>Lycaena phlaeas</i> | | |
| | Common Blue | <i>Polyommatus icarus</i> | | |
| | Peacock | <i>Inachis io</i> | | |
| | Wall | <i>Lasiommata megera</i> | | |
| | Speckled Wood | <i>Pararge aegeria</i> | | |
| | Orange-tip | <i>Anthocharis cardamines</i> | | |
| | Large White | <i>Pieris brassicae</i> | | |
| | Green-veined White | <i>Pieris napi</i> | | |
| | Small White | <i>Pieris rapae</i> | | |
| | Other taxa | | 1 | 1 |
| | insect - butterfly | <i>Argynninae</i> | | |
| insect - moth | | | 30 | 44 |
| | Species | | 30 | 44 |
| | Map-winged Swift | <i>Hepialus fusconebulosa</i> | | |
| | White Ermine | <i>Spilosoma lubricipeda</i> | | |
| | Buff Ermine | <i>Spilosoma luteum</i> | | |
| | Cinnabar | <i>Tyria jacobaeae</i> | | |
| | Common Nettle-tap | <i>Anthophila fabriciana</i> | | |
| | Heath Grass-veneer | <i>Crambus ericella</i> | | |
| | Swan-feather Dwarf | <i>Elachista argentella</i> | | |
| | Magpie | <i>Abraxas grossulariata</i> | | |
| | Peppered Moth | <i>Biston betularia</i> | | |
| | Purple Bar | <i>Cosmorhoe ocellata</i> | | |
| | Small Phoenix | <i>Ecliptopera silaceata</i> | | |
| | Common Carpet | <i>Epirrhoe alternata</i> | | |
| | Common Pug | <i>Eupithecia vulgata</i> | | |
| | May Highflyer | <i>Hydriomena impluviata</i> | | |
| | Sandy Carpet | <i>Perizoma flavofasciata</i> | | |
| | Brown Silver-line | <i>Petrophora chlorosata</i> | | |
| | Flame Carpet | <i>Xanthorhoe designata</i> | | |
| | Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i> | | |
| | Silver-ground Carpet | <i>Xanthorhoe montanata</i> | | |
| | Common Slender | <i>Gracillaria syringella</i> | | |
| | Treble Lines | <i>Charanyca trigrammica</i> | | |
| | Small Square-spot | <i>Diarsia rubi</i> | | |
| | Flame Shoulder | <i>Ochropleura plecta</i> | | |
| | Common Quaker | <i>Orthosia cerasi</i> | | |
| | Pebble Prominent | <i>Notodonta ziczac</i> | | |
| | Pale Prominent | <i>Pterostoma palpina</i> | | |
| | Sorrel Bent-wing | <i>Opostega salaciella</i> | | |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|--------------------------------------------|-----------------------------|--------------------------------|----------------|-------------------|
| | Diamond-back Moth | <i>Plutella xylostella</i> | | |
| | Poplar Hawk-moth | <i>Laathoe populi</i> | | |
| | Cork Moth | <i>Nemapogon cloacella</i> | | |
| insect - true fly (Diptera) | | | 7 | 12 |
| Species | | | 3 | 7 |
| | insect - true fly (Diptera) | <i>Criorhina ranunculi</i> | | |
| | insect - true fly (Diptera) | <i>Eristalis tenax</i> | | |
| | insect - true fly (Diptera) | <i>Rhingia campestris</i> | | |
| Other taxa | | | 4 | 5 |
| | Non-biting midges | <i>Chironomidae</i> | | |
| | insect - true fly (Diptera) | <i>Anopheles</i> | | |
| | Hover flies | <i>Syrphidae</i> | | |
| | Crane-fly | <i>Tipulidae</i> | | |
| insect - hymenopteran | | | 10 | 14 |
| Species | | | 7 | 10 |
| | insect - hymenopteran | <i>Diplolepis spinosissima</i> | | |
| | White-Tailed Bumble Bee | <i>Bombus lucorum</i> | | |
| | Buff-Tailed Bumble Bee | <i>Bombus terrestris</i> | | |
| | Small Garden Bumble Bee | <i>Bombus hortorum</i> | | |
| | Large Red Tailed Bumble Bee | <i>Bombus lapidarius</i> | | |
| | Common Carder Bee | <i>Bombus pascuorum</i> | | |
| | Marsham's Nomad Bee | <i>Nomada marshamella</i> | | |
| Other taxa | | | 3 | 4 |
| | insect - hymenopteran | <i>Symphyta</i> | | |
| | Bumble Bee | <i>Bombus</i> | | |
| | Invertebrates (Ants) | <i>Formicidae</i> | | |
| bryozoan | | | 2 | 3 |
| Species | | | 1 | 1 |
| | Hornwreck | <i>Flustra foliacea</i> | | |
| Other taxa | | | 1 | 2 |
| | Encrusting bryozoans | <i>Bryozoa</i> | | |
| echinoderm | | | 2 | 2 |
| Species | | | 2 | 2 |
| | Common starfish | <i>Asterias rubens</i> | | |
| | echinoderm | <i>Psammechinus miliaris</i> | | |
| tunicate (Urochordata) | | | 1 | 1 |
| Species | | | 1 | 1 |
| | tunicate (Urochordata) | <i>Asciadiella scabra</i> | | |
| cartilagenous fish (Chondrichthyes) | | | 2 | 2 |
| Species | | | 2 | 2 |
| | Dogfish | <i>Scyliorhinus canicula</i> | | |
| | Roker | <i>Raja clavata</i> | | |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|-----------------------------------|----------------------------|-----------------------------------|----------------|-------------------|
| bony fish (Actinopterygii) | | | 5 | 6 |
| Species | | | 4 | 5 |
| | Roach | <i>Rutilus rutilus</i> | | |
| | Cod | <i>Gadus morhua</i> | | |
| | Shore rockling | <i>Gaidropsarus mediterraneus</i> | | |
| | Shanny | <i>Lipophrys pholis</i> | | |
| Other taxa | | | 1 | 1 |
| | bony fish (Actinopterygii) | <i>Gasterosteinae</i> | | |
| amphibian | | | 1 | 2 |
| Species | | | 1 | 2 |
| | Common Frog | <i>Rana temporaria</i> | | |
| reptile | | | 2 | 2 |
| Species | | | 2 | 2 |
| | Common Lizard | <i>Zootoca vivipara</i> | | |
| | Adder | <i>Vipera berus</i> | | |
| bird | | | 46 | 169 |
| Species | | | 46 | 169 |
| | Mallard | <i>Anas platyrhynchos</i> | | |
| | Razorbill | <i>Alca torda</i> | | |
| | Common Guillemot | <i>Uria aalge</i> | | |
| | Eurasian Oystercatcher | <i>Haematopus ostralegus</i> | | |
| | Black-headed Gull | <i>Chroicocephalus ridibundus</i> | | |
| | Herring Gull | <i>Larus argentatus</i> | | |
| | Mew Gull | <i>Larus canus</i> | | |
| | Lesser Black-backed Gull | <i>Larus fuscus</i> | | |
| | Great Black-backed Gull | <i>Larus marinus</i> | | |
| | Grey Heron | <i>Ardea cinerea</i> | | |
| | Common Wood Pigeon | <i>Columba palumbus</i> | | |
| | Common Pheasant | <i>Phasianus colchicus</i> | | |
| | Common Moorhen | <i>Gallinula chloropus</i> | | |
| | Sky Lark | <i>Alauda arvensis</i> | | |
| | Carrion Crow | <i>Corvus corone</i> | | |
| | Rook | <i>Corvus frugilegus</i> | | |
| | Eurasian Jackdaw | <i>Corvus monedula</i> | | |
| | Common Linnet | <i>Carduelis cannabina</i> | | |
| | European Goldfinch | <i>Carduelis carduelis</i> | | |
| | European Greenfinch | <i>Carduelis chloris</i> | | |
| | Eurasian Siskin | <i>Carduelis spinus</i> | | |
| | Chaffinch | <i>Fringilla coelebs</i> | | |
| | Common Bullfinch | <i>Pyrrhula pyrrhula</i> | | |
| | Barn Swallow | <i>Hirundo rustica</i> | | |
| | Rock Pipit | <i>Anthus petrosus</i> | | |
| | Meadow Pipit | <i>Anthus pratensis</i> | | |
| | Pied Wagtail | <i>Motacilla alba</i> | | |
| | Spotted Flycatcher | <i>Muscicapa striata</i> | | |
| | Blue Tit | <i>Cyanistes caeruleus</i> | | |

| Taxonomic Group | Common Name | Scientific name | Number of taxa | Number of records |
|----------------------------------------|--------------------------|----------------------------------|----------------|-------------------|
| | Great Tit | <i>Parus major</i> | | |
| | Coal Tit | <i>Periparus ater</i> | | |
| | House Sparrow | <i>Passer domesticus</i> | | |
| | Hedge Accentor | <i>Prunella modularis</i> | | |
| | Goldcrest | <i>Regulus regulus</i> | | |
| | European Robin | <i>Erithacus rubecula</i> | | |
| | Common Chiffchaff | <i>Phylloscopus collybita</i> | | |
| | Willow Warbler | <i>Phylloscopus trochilus</i> | | |
| | Blackcap | <i>Sylvia atricapilla</i> | | |
| | Garden Warbler | <i>Sylvia borin</i> | | |
| | Common Whitethroat | <i>Sylvia communis</i> | | |
| | Winter Wren | <i>Troglodytes troglodytes</i> | | |
| | Common Blackbird | <i>Turdus merula</i> | | |
| | Song Thrush | <i>Turdus philomelos</i> | | |
| | Great Cormorant | <i>Phalacrocorax carbo</i> | | |
| | Northern Gannet | <i>Morus bassanus</i> | | |
| | Great Spotted Woodpecker | <i>Dendrocopos major</i> | | |
| terrestrial mammal | | | 7 | 18 |
| | Species | | 7 | 18 |
| | Daubenton's Bat | <i>Myotis daubentonii</i> | | |
| | Noctule Bat | <i>Nyctalus noctula</i> | | |
| | Common Pipistrelle | <i>Pipistrellus pipistrellus</i> | | |
| | Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | | |
| | European Mole | <i>Talpa europaea</i> | | |
| | Brown Hare | <i>Lepus europaeus</i> | | |
| | European Rabbit | <i>Oryctolagus cuniculus</i> | | |
| Total recorded to species level | | | 469 | 1112 |
| Total taxa recorded | | | 531 | 1193 |